



EFFORTLESS OPERATION, UNMATCHED DURABILITY



CAPABLE

High-speed can clean an acre in under 10 minutes. Wide-area coverage of up to 4000 sq. ft per minute.

Vacuum finish with Spruce Up Air Blaster Technology has all-weather, versatile cleaning for leaves, litter, and debris.

Equipped for diverse cleaning with a high-pressure washer and litter picker.



Vacuum Path - 1.7 m Total Cleaning Path - 2.4 m

EASY

Operate with ease using one-button control and sedan-like easy handling.

Dump easily with 50° tilt, large doors, and rounded corners.

Quick cleaning and maintenance with one-button grill drop-down, single-tool broom adjustments.

RELIABLE

Engineered in the USA, built in India, with over 500+ point quality control process.

Features world-class parts sourced from around the world and a premium SS hopper lifetime guaranteed.

Comprehensive Pan-India service, Multi-year warranties for cost predictability.

Same-day* spare dispatch for 30 critical parts. Instant professional video support with **Spruce Up Genie**. Full training and support via **Spruce Up Train Pro**.

*T&C apply





AFFORDABLE

Premium quality world's best components at competitive prices from Indian production.

Best Total Cost of Ownership as it reduces long-term expenses with durable, efficient operation.

CUTTING-EDGE FEATURES AT A GLANCE



Revolutionary Spruce Up Air Blaster Technology.



Efficient Centrifugal Dust Separator.



Rear Engine & Rear Head for Ease of Maintenance.



Litter Picker for Diverse Litter Collection.



Quick Mid-Dump Hopper for Faster Turnaround.



High-Pressure Washer for Maximum Cleaning.



Simple, Ergonomic
One-Button Operation.



Ground-Level Dust and Filter Access for Quick Cleanout.



PM10 Exhaust Filters for Cleaner, Safer Air Quality.



Self-Cleaning Exhaust Filters for Non-Stop Performance.




Available in Variants.



TECHNICAL SPECIFICATIONS EVO 2

SWEEPING PATH AND SPEED	SPECIFICATIONS
Pickup Head Only	1700 mm
Pickup Head and One Gutter Broom	2050 mm
Pickup Head and 2 Gutter Broom	2400 mm
Speed	Up to 10 kmph
Total Cleaning per Hour	Up to 250,000 sq.ft per hour





SWEEPING HEAD



Туре	Dual Chambered Full Width Adjustable Blast Orifice
Operating Direction	Forward and Reverse
Hoses Diameter	10 inch (254 mm)

SPECIFICATIONS



DEBRIS HOPPER	SPECIFICATIONS
Volumetric Capacity	2 cubic meters
Construction	Stainless Steel
Type of Dumping	Hydraulic Side Dump
Controls	Electric, in Cab
Dumping Height with Bridge	2.4 ft
Dumping Tilt Angle	50 degrees



ACCESSORIES	SPECIFICATIONS
High-Pressure Washer	80 bar
Reel Length	10 m
Water Tank	1000 litres
Litter Picker	5 in dia






TECHNICAL SPECIFICATIONS EVO 4

SWEEPING PATH AND SPEED	SPECIFICATIONS
Pickup Head Only	1700 mm
Pickup Head and One Gutter Broom	2050 mm
Pickup Head and 2 Gutter Broom	2400 mm
Speed	Up to 10 kmph
Total Cleaning per Hour	Up to 250,000 sq.ft per hour







Туре	Dual Chambered Full Width Adjustable Blast Orifice
Operating Direction	Forward and Reverse
Hoses Diameter	10 inch (254 mm)

SPECIFICATIONS

SWEEPING HEAD



DEBRIS HOPPER	SPECIFICATIONS
Volumetric Capacity	4 cu.m
Construction	Stainless Steel
Type of Dumping	Hydraulic Side Dump
Controls	Electric, in Cab
Dumping Height with Bridge	2.4 ft
Dumping Tilt Angle	50 degrees



SPECIFICATIONS
80 bar
10 m
1500 litres
5 in dia



